


Microsoft Graph Explorer basics

Requirements: Basic knowledge of HTTP REST communication

Basics

Microsoft Graph Explorer is a web-based tool to learn and test specific Graph API queries.



Resource Links

Microsoft Graph Documentation: <https://learn.microsoft.com/en-us/graph/api/overview>

Microsoft Graph Explorer: <https://developer.microsoft.com/en-us/graph/graph-explorer>


URL-Explanation

Protocol: The protocol defines on which Port the Request ist performed. Microsoft Graph only allows REST calls over HTTP with appropriate security (https:// over port 443).

Host: The Host sits between the protocol and the first slash ("/"). Hosts can be represented by IP Address (e.g., 127.0.0.1) or Hostnames (graph.microsoft.com).

Route: API Routes are defined between the end of the top-level domain (e.g., .com) and the question mark ("?"). The route defines which path the program on the server should take and on which element it should perform the search or action.

Queries: URL queries are Located behind the question mark ("?") in the URL and are at the end of the whole URL.



The screenshot shows an API client interface with a dark theme. At the top, there is a dropdown menu set to 'GET', a version dropdown set to 'v1.0', and a text input field containing the URL 'https://graph.microsoft.com/v1.0/users/?\$filter=userType eq 'guest''. Below this, there is a horizontal menu with four items: 'Anforderungstext' (highlighted with a blue underline), 'Anforderungsheader' (with a document icon), 'Berechtigungen ändern (Vorschau)' (with a lock icon), and 'Zugriffstoken' (with a key icon).

Method selection


GET: Get specific or general information via JSON output object(s).

POST: Submit some information via JSON, URL Encoded, XML, etc. and trigger some actions on the server. Returned values contains errors or success information and supports general information as well.

PATCH: Update some information on the server side from a client action. You must provide a object that gets updated and the content to which the object should be updated. (e.g., display name of some policy)

PUT: Submit informations to a backend and don't get a response back.

DELETE: Delete object on specific path. Provide object which needs to be deleted, ether in URL itself or via body.



The screenshot shows the same API client interface as before, but with the method dropdown menu open. The dropdown menu lists the following options: 'GET' (which is highlighted), 'POST', 'PUT', 'PATCH', and 'DELETE'. The background interface remains the same, with the URL 'https://graph.microsoft.com/v1.0/users/?\$filter=userType eq 'guest'' and the horizontal menu visible.

Revision #11
Created 30 November 2022 21:07:00 by Luca Noah Caprez
Updated 30 May 2023 06:51:11 by Luca Noah Caprez