

# Namings specific to technology

This technology specific naming convention was created to have a standardised naming solution.

## Microsoft Entra ID

### Group

MEID-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

Example: MEID-WIN-ALL-USER-IAmDoingSomething-NONPROD

### AllUsers Group

MEID-<Technology>-<CompanyTag>-USER-AllCompanyUsers-<Status>

Example: MEID-ALL-LNC-USER-CompanyAllUsers-PROD

### AllAdmins Group

MEID-<Technology>-<CompanyTag>-USER-AllAdminAccounts-<Status>

Example: MEID-WIN-LNC-USER-CompanyAllAdmins-PROD

## Conditional Access

CA-<Technology>-<CompanyTag>-SETTING-<Description>-<Status>

Example: CA-WIN-ALL-SETTING-IamDoingSomething-PROD

## Custom Azure Role

CAR-MEID-ALL-ROLE-<Description>-<Status>

Example: CAR-MEID-ALL-ROLE-CompanyReader-PROD

## Administrative Unit

ADU-<Technology>-<CompanyTag>-GROUPS-<Description>-<Status>

Example: ADU-WIN-LNC-GROUPS-Role01-PROD

## App (Registration)

APR-<Technology>-<CompanyTag>-PERMISSION-<Description>-<Status>

Example: APR-RB-LNC-PERMISSION-CleanUpMEIDDevices-PROD

## Service Principal

SP-<Technology>-<CompanyTag>-PERMISSION-<Description>-<Status>

Example: SP-SPO-LNC-PERMISSION-SiteXYZ-PROD

## Client Secret

CLS-<Technology>-<CompanyTag>-SECRET-<Description>-<Status>

## Connector Group

CGR-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

## Connector

<FQDNServer>

## Claim Policy

CLP-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

## Managed Identity

MAI-<Technology>-<CompanyTag>-PERMISSION-<Description>-<Status>

Example: MAI-FUNC-LNC-PERMISSION-CreateProfile-PROD

## Custom Role

CAR-<Technology>-<CompanyTag>-SETTING-<Description>-<Status>

CAR-MEID-ALL-SETTING-<Description>-<Status>

## Access Package

APA-<Technology>-<CompanyTag>-ACCESS-<Description>-<Status>

Example: APA-MEID-LNC-ACCESS-App1-NONPROD

## Log Analytics Workspace

LAW-<Technology>-<CompanyTag>-ACCESS-<Description>-<Status>

Example: LAW-MEID-LNC-LOG-entraIDLogs-PROD

# Intune

## Deployment Profile

DEP-<Technology>-<CompanyTag>-DEVICE-<Description>-<Status>

Example: DEP-WIN-LNC-DEVICE-CompanyProfile-PROD

## Devicename

<Technology>-<CompanyTag>-<Serialnumber>

Zum Example:

MWP-LNC-4CE0460D0G-> Modern Workplace (physical)

CPC-LNC-4CE0460D0G-> Cloud PC Workplace

AVD-LNC-4CE0460D0G-> Azure Virtual Desktop Workplace

CVD-LNC-4CE0460D0G-> Citrix Virtual Desktop Workplace

## GroupTag

GRT-<Technology>-<CompanyTag>-DEVICE-<Description>-<Status>

Example: GRT-WIN-LNC-DEVICE-CompanyDevice-PROD

## Enrollment Service Profile

ESP-<Technology>-<CompanyTag>-DEVICE-<Description>-<Status>

Example: ESP-WIN-LNC-DEVICE-CompanyEnrollment-PROD

## Filter

FI-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

Example: FI-CPC-LNC-DEVICE-CompanyDevices-PROD

## Configuration Profile

CFP-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

Example: CFP-WIN-ALL-DEVICE-SecurityBaselines-PROD

## Compliance Policy

CPP-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

Example: CPP-WIN-LNC-USER-BitlockerActivation-NONPROD

## Device Script

DSC-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

Example: DSC-WIN-ALL-DEVICE-InstallFollowMePrint-PROD

## Remediation Script

RSC-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

Example: RSC-WIN-LNC-PS1-EnableSecureBoot-NONPROD

## Update Policy

UP-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

Example: UPP-WIN-ALL-DEVICE-Ring1CIT -PROD

## Scope Tag

SCT-<Technology>-<CompanyTag>-INTUNE-<Description>-<Status>

Example: SCT-INT-LNC-INTUNE-CompanyObjects-PROD

## Custom Intune Rollen

IRO-<Technology>-<CompanyTag>-ROLE-<Description>-<Status>

Example: IRO-CVD-LNC-ROLE-LimitedIntuneReader-PROD

## Intune Role Assignment

IRA-INT-<CompanyTag>-ROLE-<RollenName>-<STATUS>

Example: IRA-INT-LNC-ROLE-CompanyReader-PROD

## Account Protection Policy

ACP-<Technology>-<CompanyTag>-DEVICE-<Serialnumber>-<Status>

Example: ACP-WIN-LNC-DEVICE-5CG9272S38-PROD

## Intune Apps

IAP-<Technology>-<CompanyTag>-APP-<AppManufacturer>.<AppName>-<Status>

Example: IAP-ALL-LNC-APP-Microsoft.PowerToys-PROD

## Endpoint Privilege Management Profile

EPM-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

Example: EPM-CPC-LNC-DEVICE-AutoDeskApp-NONPROD

## TeamViewer

## TeamViewer Policy

TVP-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

Example: TVP-ALL-ALL-DEVICE-AllCompanyDevices-PROD

## TeamViewer Device Group

TVG-<Technology>-<CompanyTag>-DEVICE-<Description>-<Status>

Example: TVG-ALL-LNC-DEVICE-AllCompanyDevices-PROD

## Cloud PC

### Provisioning Policy

PRP-CPC-<CompanyTag>-USER-<Description>-<Status>

Example: PRP-CPC-LNC-USER-CloudPCAdvanced-PROD

### Azure Network Connections Policy

ANC-CPC-<CompanyTag>-DEVICE-<Description>-<Status>

Example: ANC-CPC-LNC-DEVICE-CloudPCStandardAdmin-PROD

### User Settings

USE-CPC-<CompanyTag>-USER-<Description>-<Status>

Example: USS-CPC-LNC-USER-RestorePointFrequency-PROD

### Custom Image

CIM-CPC-<CompanyTag>-IMAGE-<Description>-<Status>

Example: CIM-CPC-LNC-IMAGE-RestorePointFrequency-PROD

## Azure Virtual Desktop

### MEID App Groups

MEID-AVD-<CompanyTag>-USER-<Description>-<Status>

Example: MEID-AVD-LNC-USER-APP.Microsoft.Office-PROD

### Application Groups

APG-AVD-<CompanyTag>-APP-<Description>-<Status>-<Location>

Example: APG-AVD-LNC-APP-Messerli.BauAD-PROD-WE

## Host Pools

HPO-AVD-<CompanyTag>-APPGROUP-<Description>-<Status>-<Location>

Example: HP-AVD-IFB-APPGROUP-AppPool-PROD-WE

## Workspaces

WSP-AVD-<CompanyTag>-APPGROUP-<Description>-<Status>-<Location>

Example: WS-AVD-ELB-APPGROUP-<Description>-PROD-WE

## Scaling Plan

SCP-AVD-<CompanyTag>-HOSTPOOL-<Description>-<Status>-<Location>

SCP-AVD-LNC-HOSTPOOL-<Description>-PROD-WE

# Citrix Virtual Desktop

## GPO

GPO-CVD-<CompanyTag>-DEVICE-<Description>-<Status>

Example: GPO-CVD-LNC-DEVICE-IntuneJoin-PROD

## APP Group

ADG-CVD-<CompanyTag>-<Object>-<AppManufacturer>.<AppName>-<Status>

Example: ADG-CVD-ALL-USER-APP.Microsoft.PowerToys-PROD

## Machine Catalog

MAC-CVD-<CompanyTag>-DEVICE-<Description>-<Status>

Example: MC-CVD-LNC-DEVICE-Sidoun-PROD

# Active Directory

## Security Groups

ADSG-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

## Distribution Group

ADDG-<Technology>--<CompanyTag>--<Object>--<Description>--<Status>

## Federation Group

ADFG-<Technology>--<CompanyTag>--<Object>--<Description>--<Status>

## Federation Party

ADFP-<Technology>--<CompanyTag>--<Object>--<Description>--<Status>

## Service Account

ADSA-<Technology>--<CompanyTag>--<Object>--<Description>--<Status>

## Functional Account

ADFA-<Technology>--<CompanyTag>--<Object>--<Description>--<Status>

## Test Account

ADTA-<Technology>--<CompanyTag>--<Object>--<Description>--<Status>

## Password Setting Object

PSO-<Technology>--<CompanyTag>--<Object>--<Description>--<Status>

## Child Domain

ADCD-<Number>.net

## Parent Domain

ADPD-<Number>.net

## LDS Instance

LDS-<Number>.net

## AD Site

ADSI-<Technology>--<CompanyTag>--<Object>--<City<<Street><Number>--<Status>

## Password Setting Object

PSO-<Technology>--<CompanyTag>--<Object>--<Description>--<Status>

## Class Schema

ADCL-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

## Attribute Schema

ADAT-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

# Group Policy Management

## GPO Client Computers

GPO-CVD-<CompanyTag>-SETTING-<Description>-<Status>

Beispiel: GPO-CVD-LNC-SETTING-<Description>-<Status>

## GPO External Accounts

GPO-ADEA-<CompanyTag>-SETTING-<Description>-<Status>

## GPO Functional Accounts

GPO-ADFA-<CompanyTag>-SETTING-<Description>-<Status>

## GPO Service Accounts

GPO-ADSA-<CompanyTag>-SETTING-<Description>-<Status>

## GPO Test Accounts

GPO-ADTA-<CompanyTag>-SETTING-<Description>-<Status>

## GPO Servers

GPO-ADSRV-<CompanyTag>-SETTING-<Description>-<Status>

## GPO Users

GPO-ADUSR-<CompanyTag>-SETTING-<Description>-<Status>

# Azure Function App

## Function



FUNC-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>-<Location>

Example: FUNC-WIN-ALL-PS1-GetStorageTableContent-PROD-WE

## Function Key

FKEY-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>-<Location>

Example: FKEY-RS-ALL-KEY-SetLanguageByUPN-PROD-WE

# Azure Automation Account

## Automation Account

AA-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>-<Location>

AA-INT-LNC-RB-IntuneAutomation-PROD-WE

## Runbook

RB-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>-<Location>

RB-EXO-LNC-PS1-CreateDomainByCompany-PROD-WE

## Secret

CERT-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>-<Location>

CERT-RB-LNC-CERT-CleanUpMEIDDevices-PROD-WE

## Variable

VAR-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>-<Location>

VAR-RB-LNC-CLIENTID-CleanUpMEIDDevices-PROD-WE

## Schedule

SCED-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>-<Location>

SCED-RB-LNC-DAILY-CheckLicenseCount-PROD-WE

# Azure Storage

## Azure Storage Table

STT-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>-<Location>

Example: STT-ALL-ALL--WPSMasterTable-PROD-WE

# Azure Resources

## Subscription

SUB-<Technology>-<CompanyTag>-<Description>-<Status>-<Location>

## Resourcegroup

RG-<Technology>-<CompanyTag>-<Description>-<Status>-<Location>

## Virtual Machines

VM-<Technology>-<CompanyTag>-<Description>-<Status>-<Location>

Example: VM-WIN-LNC-AppPackaging-NONPROD-CHN

## Virtual Network

VNET-<Technology>-<CompanyTag>-<Description>-<Status>-<Location>

Example: VNET-SUBNET-LNC-TerraformTesting-NONPROD-WE

## Subnet

SUBNET-<Technology>-<CompanyTag>-<Description>-<Status>-<Location>

Example: SUBNET-NSG-LNC-TerraformTesting-NONPROD-WE

## Network Security Group

NSG-<Technology>-<CompanyTag>-<Description>-<Status>-<Location>

Example: NSG-NIC-LNC-TerraformTesting-NONPROD-WE

## Network Interfaces

NIC-<Technology>-<CompanyTag>-<Description>-<Status>-<Location>

Example: NIC-VM-LNC-TerraformTesting-NONPROD-WE

## Public IP

PIP-<Technology>-<CompanyTag>-<Description>-<Status>-<Location>

Example: PIP-IP-LNC-TerraformTesting-NONPROD-WE

## Disk

DSK-<Technology>-<CompanyTag>-<Description>-<Status>-<Location>

Example: DSK-VM-LNC-TerraformTesting-NONPROD-WE

# VMWare ESXi

## VCenter Compute Node

VMHOST-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>-<Location>

Example: VMHOST-ESXI-LNC-VMS-PackagingVirtualizer-NONPROD-F3

# Identity Access Management

## Exchange Online

### Mail enabled security group

MESG-<Technology>-<CompanyTag>-<Object>-<Description>-<Status>

Example: MESG-AAP-ALL-USER-CleanUpMEIDGuestUser-PROD

---

Revision #29

Created 1 December 2022 16:36:44

Updated 27 February 2025 09:57:09 by Luca Noah Caprez